

## Material Safety Data Sheet (91/155/EWG)

**Product: Polystone® M-black UV SR (PE-UHMW)**

Issue Date: 29.04.2008

Revision Date:

Print Date: 29.04.2008

Version: 1

Page: 1 of 3

### 1. Identification of the article and of the company/undertaking

---

Article: **Polystone® M-black UV SR (PE-UHMW)**

Company: Röchling Engineering Plastics KG  
Polystone Division  
D-49724 Haren/Germany

Phone.: +49 5934 701-0, Fax –300  
info@roechling-plastics.com  
www.roechling-plastics.com

### 2. Composition / Information on ingredients

---

Chemical characterization: Polyethylene, eventually Olefines - Copolymerisat,  
Stabiliser, Additive

Dangerous substances: ---

### 3. Hazards identification

---

No particular hazards known

### 4. First aid measures

---

General hints: ---

In case of inhalation: ---

In case of contact with skin: After contact with molten product cool quickly with cold water.  
Do not pull solidified product from skin.  
Take for medical treatment

### 5. Fire – fighting measures

---

Suitable extinguishing substances: Water, foam, dry powder, carbon dioxide

Unsuitable extinguishing substances: ---

In case of fire, the following hazardous can be produced: CO, CO<sub>2</sub>

Special protective equipment: ---

### 6. Accidental release measures

---

None

## Material Safety Data Sheet (91/155/EWG)

**Product:** Polystone® M-black UV SR (PE-UHMW)

Issue Date: 29.04.2008

Revision Date:

Print Date:

29.04.2008

29.04.2008

Version: 1

Page: 2 of 3

### 7. Handling and storage

---

Product includes combustible Polymere. Take precautionary measures against fire and explosion.

### 8. Exposure controls / personal protection

---

Personal protective equipment: ---  
General protection/ hygiene measures: Avoid contact of molten material with skin  
CAS-no.: 9002-88-4

### 9. Physical and chemical properties

---

#### Appearance

Form: firm  
Colour: black  
Odour: odourless

#### Change in physical state

Crystalline melting point: 100 – 140 °C (DSC)  
Ignition temperature: > 360 °C  
Density (23°C): 0,92 – 0,97 g/cm<sup>3</sup> (ISO 1183)  
Solubility: Insoluble in water

### 10. Stability and reactivity

---

Thermal decomposition: > 390 °C  
Dangerous reactions: No dangerous reaction known  
Dangerous decomposition products: ---

### 11. Toxicological information

---

According to experience, the product is considered to be harmless to health if handled in the correct manner

## Material Safety Data Sheet (91/155/EWG)

**Product:** Polystone® M-black UV SR (PE-UHMW)

Issue Date: 29.04.2008

Revision Date:

Print Date: 29.04.2008

Version: 1

Page: 3 of 3

### 12. Ecological information

---

Product is insoluble in water

Harmful effects to fish and bacteria: not harmful

### 13. Disposal instructions

---

Product:

In accordance with the necessary technical regulations may be dumped or incinerated with household waste, after consultation with site operator and with the responsible authority

Waste code no. for unused product: 120105

Name of waste: Polyolefine wastes

### 14. Transportation data

---

Non dangerous goods according to the transport regulations

### 15. Regulations

---

Labelling in accordance with hazard warning labelling not compulsory  
GefStoffV / EC:

National Hazard Class (Germany): 0 (self classification)

### 16. Other information

---

This information is based on our present state of knowledge.

It should not therefore be construed as guaranteeing specific properties of the product described or their suitability for a particular application.