

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

51010a

INDEX CHAIN & BELT ROLLERS SYSTEMS

www.SystemPlastSmartGuide.com

		Chain return rollers 85 mm center distance	51020a BLACK COLOR 51060a GREEN COLOR
		Chain return rollers Other center distances	51030a
		Watertight return rollers 27mm versions	51040a
		Watertight return rollers 40/43mm versions	51050a
		Watertight return rollers 82/85mm versions	51080a STANDARD 51110a SOLID VERSION
		Flanges for Return Rollers	51090a
		Wear strip & Clamps for serpentine system	51120a
		Little striker & Striker for serpentine system	51130a
		Single spacer & Shoe wear strip for serpentine system	51150a
		Washer & Sliding shoe for serpentine system	51160a
		Wearshoes for return system	51170a




Information about this product is only available on our Smart Guide® website.

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	


51020a

www.SystemPlastSmartGuide.com

CHAIN RETURN ROLLERS



SPACER (LENGTH 31 mm)




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PA BLACK	R-26B12ML31-PAB	R-26B16ML31-PAB	R-26B18ML31-PAB	R-26B20ML31-PAB	100

External diameter

Ø 26

SPACER (LENGTH 39 mm)




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PA BLACK	R-26B12ML39-PAB	R-26B16ML39-PAB	R-26B18ML39-PAB	R-26B20ML39-PAB	100

External diameter

Ø 26

RETURN ROLLER WITH FLANGE




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD BLACK	RF-41B12ML28-PEB	RF-41B16ML28-PEB	RF-41B18ML28-PEB	RF-41B20ML28-PEB	100

External diameter

Ø 41

RETURN ROLLER




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD BLACK	R-41B12ML51-PEB	R-41B16ML51-PEB	R-41B18ML51-PEB	R-41B20ML51-PEB	100

External diameter

Ø 42

RETURN ROLLER WITH CENTER FLANGE




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD BLACK	RF-41B12ML51-PEB	RF-41B16ML51-PEB	RF-41B18ML51-PEB	RF-41B20ML51-PEB	100

External diameter

Ø 42

RETURN ROLLER WITH CENTER FLANGE



MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD BLACK	RF-41B12ML47-PEB	RF-41B16ML47-PEB	RF-41B18ML47-PEB	RF-41B20ML47-PEB	100

External diameter

Ø 41

Also available in green color. Go to: [51060a](#)







Information about this product is only available on our Smart Guide® website.

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

51030a

CHAIN RETURN ROLLERS

www.SystemPlastSmartGuide.com



Go to: 51020a



Go to: 51020a

RETURN ROLLER WITH FLANGE

Ø 47 External diameter	SHAFT Ø12	
MATERIAL	ITEM DESCRIPTION	
PE-HD GREEN	RF-47B12ML44-PEG	
		100


RETURN ROLLER WITH FLANGE

Ø 60 External diameter	FOR ROD Ø 20	
MATERIAL	ITEM DESCRIPTION	
PE-HD GREEN	RF-60B20ML53-PEG	
		100



RETURN ROLLER WITH FLANGE

Ø 50 External diameter	FOR ROD Ø 15	
MATERIAL	ITEM DESCRIPTION	
PE-HD BLACK	RF-50B15ML43-PEB	
		100



RETURN ROLLER

Ø 50 External diameter	FOR ROD Ø 15	
MATERIAL	ITEM DESCRIPTION	
PE-HD BLACK	RF-50B15ML41-PEB	
		100

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	




External diameter

CHARACTERISTICS:

- Very low friction coefficient.
- No liquid absorption.
- Excellent wear and chemical resistance.
- Completely closed structure, easier to clean and disinfect.
- Watertight.

WATERTIGHT ROLLER

MATERIAL	FOR ROD			
	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION			
PE-HD GREEN	R-50B16ML27-PEG	R-50B18ML27-PEG	R-50B20ML27-PEG	100
VERSION WITH FLANGE				
PE-HD GREEN	RF-50B16ML28-PEG	RF-50B18ML28-PEG	RF-50B20ML28-PEG	100



WATERTIGHT ROLLER WITH RUBBER

MATERIAL	FOR ROD			
	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION			
PE-HD GREEN	RR-57B16ML27-PEG	RR-57B18ML27-PEG	RR-57B20ML27-PEG	100
VERSION WITH FLANGE				
PE-HD GREEN	RRF-57B16ML28-PEG	RRF-57B18ML28-PEG	RRF-57B20ML28-PEG	100



RUBBER MATERIAL: TPR





External diameter

ROLLER


MATERIAL	FOR ROD			
	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION			
PP GREEN	R-49B16ML12-PPG	R-49B18ML12-PPG	R-49B20ML12-PPG	100



VERSION WITH FLANGE



VERSION WITH FLANGE



Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

ROLLERS FOR RETURN OF CHAINS & BELTS




CHARACTERISTICS:

- Very low friction coefficient.
- No liquid absorption.
- Excellent wear and chemical resistance.
- Completely closed structure, easier to clean and disinfect.
- Watertight.


Ø 50

Ø 60

External diameter



VERSION WITH FLANGE






WATERTIGHT ROLLER

MATERIAL	ØE	ØF	L	K	FOR ROD			
					Ø 16	Ø 18	Ø 20	
					ITEM DESCRIPTION			
PE-HD GREEN	50	-	40,5	1,5	R-50B16ML41-PEG	R-50B18ML41-PEG	R-50B20ML41-PEG	100
		-	43	4	R-50B16ML43-PEG	R-50B18ML43-PEG	R-50B20ML43-PEG	
	60	-	40,5	1,5	R-60B16ML41-PEG	R-60B18ML41-PEG	R-60B20ML41-PEG	
VERSION WITH FLANGE								
PE-HD GREEN	50	65	43	4	RF-50B16ML43-PEG	RF-50B18ML43-PEG	RF-50B20ML43-PEG	100
	60	75			RF-60B16ML43-PEG	RF-60B18ML43-PEG	RF-60B20ML43-PEG	

CHARACTERISTICS:

- Reduced noise level with rubber
- Very low friction coefficient.
- No liquid absorption.
- Excellent wear and chemical resistance.
- Completely closed structure, easier to clean and disinfect.
- Watertight.




Ø 57

Ø 67

External diameter

VERSION WITH FLANGE







WATERTIGHT ROLLER WITH RUBBER

MATERIAL	ØE	ØF	L	K	FOR ROD			
					Ø 16	Ø 18	Ø 20	
					ITEM DESCRIPTION			
PE-HD GREEN	57	-	40,5	1,5	RR-57B16ML41-PEG	RR-57B18ML41-PEG	RR-57B20ML41-PEG	100
		-	43	4	RR-57B16ML43-PEG	RR-57B18ML43-PEG	RR-57B20ML43-PEG	
	67	-	40,5	1,5	RR-67B16ML41-PEG	RR-67B18ML41-PEG	RR-67B20ML41-PEG	
VERSION WITH FLANGE								
PE-HD GREEN	57	65	43	4	RRF-57B16ML43-PEG	RRF-57B18ML43-PEG	RRF-57B20ML43-PEG	100


RUBBER MATERIAL: TPR

Rollers with Diam. 67mm also available in black color. Min. order quantity: 300 pcs.

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	



SPACER (LENGTH 31 mm)




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PA GREEN	R-26B12ML31-PAG 	R-26B16ML31-PAG 	R-26B18ML31-PAG 	R-26B20ML31-PAG 	100

External diameter

Ø 26

SPACER (LENGTH 39 mm)




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PA GREEN	R-26B12ML39-PAG 	R-26B16ML39-PAG 	R-26B18ML39-PAG 	R-26B20ML39-PAG 	100

External diameter

Ø 26

RETURN ROLLER WITH FLANGE




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD GREEN	RF-41B12ML28-PEG 	RF-41B16ML28-PEG 	RF-41B18ML28-PEG 	RF-41B20ML28-PEG 	100

External diameter

Ø 41

RETURN ROLLER




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD GREEN	R-41B12ML51-PEG 100	R-41B16ML51-PEG 100	R-41B18ML51-PEG 100	R-41B20ML51-PEG 100	100

External diameter

Ø 42

RETURN ROLLER WITH CENTER FLANGE




MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD GREEN	RF-41B12ML51-PEG 100	-	RF-41B18ML51-PEG 100	RF-41B20ML51-PEG 100	100

External diameter

Ø 42

RETURN ROLLER WITH CENTER FLANGE



MATERIAL	FOR ROD				
	Ø 12	Ø 16	Ø 18	Ø 20	
	ITEM DESCRIPTION				
PE-HD GREEN	RF-41B12ML47-PEG 100	RF-41B16ML47-PEG 100	RF-41B18ML47-PEG 100	-	100

External diameter

Ø 41



Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

51080a

RETURN ROLLERS POLYETHYLENE

www.SystemPlastSmartGuide.com

CHARACTERISTICS:


- Very low friction coefficient
- No liquid absorption
- Excellent wear and chemical resistance
- Completely closed structure, easier to clean and disinfect
- Watertight

Also available with improved chemical resistance, go to:

51110a



Information about this product is only available on our Smart Guide® website.




WATERTIGHT ROLLER

WATER TIGHT ROLLER				FOR ROD					
MATERIAL	Ø E	L	F	Ø 12	Ø 14	Ø 16	Ø 18	Ø 20	
				ITEM DESCRIPTION					
STANDARD VERSION									
PE-HD GREEN	40	82,5	-	-	-	R-40B16ML83-PEG	R-40B18ML83-PEG	R-40B20ML83-PEG	50
		84,5	-	-	-	R-40B16ML85-PEG	R-40B18ML85-PEG	R-40B20ML85-PEG	
	50	82,5	-	-	-	R-50B16ML83-PEG	R-50B18ML83-PEG	R-50B20ML83-PEG	
		84,5	-	-	-	R-50B16ML85-PEG	R-50B18ML85-PEG	R-50B20ML85-PEG	
	60	82,5	-	-	-	R-60B16ML83-PEG	R-60B18ML83-PEG	R-60B20ML83-PEG	
		84,5	-	R-60B12ML85-PEG	R-60B14ML85-PEG	R-60B16ML85-PEG	R-60B18ML85-PEG	R-60B20ML85-PEG	
VERSION WITH FLANGE									
PE-HD GREEN	40	85,8	55	-	-	RF-40B16ML86-PEG	RF-40B18ML86-PEG	RF-40B20ML86-PEG	50
	50	85,8	65	-	-	RF-50B16ML86-PEG	RF-50B18ML86-PEG	RF-50B20ML86-PEG	
	60	85,8	65	RF-60B12ML86-PEG	RF-60B14ML86-PEG	RF-60B16ML86-PEG	RF-60B18ML86-PEG	RF-60B20ML86-PEG	



External diameter



WATERTIGHT ROLLER WITH RUBBER

FOR ROD									
MATERIAL	Ø E	L	F	Ø 16			Ø 18		Ø 20
				ITEM DESCRIPTION					
STANDARD VERSION									
PE-HD GREEN	47	82,5	-	RR-47B16ML83-PEG	RR-47B18ML83-PEG	RR-47B20ML83-PEG	50		
		84,5	-	RR-47B16ML85-PEG	RR-47B18ML85-PEG	RR-47B20ML85-PEG			
	57	82,5	-	RR-57B16ML83-PEG	RR-57B18ML83-PEG	RR-57B20ML83-PEG			
		84,5	-	RR-57B16ML85-PEG	RR-57B18ML85-PEG	RR-57B20ML85-PEG			
	67	82,5	-	RR-67B16ML83-PEG	RR-67B18ML83-PEG	RR-67B20ML83-PEG			
		84,5	-	RR-67B16ML85-PEG	RR-67B18ML85-PEG	RR-67B20ML85-PEG			
VERSION WITH FLANGE									
PE-HD GREEN	47	85,8	55	RRF-40B16ML86-PEG	RRF-40B18ML86-PEG	RRF-40B20ML86-PEG	50		
	57	85,8	65	RRF-50B16ML86-PEG	RRF-50B18ML86-PEG	RRF-50B20ML86-PEG			
	67	85,8	75	RRF-60B16ML86-PEG	RRF-60B18ML86-PEG	RRF-60B20ML86-PEG			



External diameter

CHARACTERISTICS:

- Reduced noise level
- Very low friction coefficient
- No liquid absorption
- Excellent wear and chemical resistance
- Completely closed structure, easier to clean and disinfect
- Watertight

RUBBER MATERIAL: TPR

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	



5 1 0 9 0 a

FLANGES FOR RETURN ROLLERS


www.SystemPlastSmartGuide.com



GUIDE FLANGE

CHARACTERISTICS:


- No liquid absorption.
- Excellent wear and chemical resistance.



GUIDE FLANGE

MATERIAL	Ø E	FOR PIN				
		Ø 14	Ø 16	Ø 18	Ø 20	
		ITEM DESCRIPTION				
PP GREEN	50	F-50B14ML2-PPG	F-50B16ML2-PPG	F-50B18ML2-PPG	F-50B20ML2-PPG	100
	60	F-60B14ML2-PPG	F-60B16ML2-PPG	F-60B18ML2-PPG	F-60B20ML2-PPG	
	70	F-70B14ML2-PPG	F-70B16ML2-PPG	F-70B18ML2-PPG	F-70B20ML2-PPG	
	75	F-75B14ML2-PPG	-	F-75B18ML2-PPG	F-75B20ML2-PPG	
	100	-	-	F-100B18ML2-PPG	F-100B20ML2-PPG	

MOQ Min. order quantity: 250 pcs.




GUIDE FLANGE

MATERIAL	Ø E	S	FOR PIN	
			Ø 20	
			ITEM DESCRIPTION	
PP GREEN	25,5	7,25	F-26B20ML7-PPG	100
	60	7,25	F-60B20ML7-PPG	
	90	5	F-90B20ML5-PPG	

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

Also available in PE Material, watertight version, go to:

51080a



WATERTIGHT ROLLER

CHARACTERISTICS:

- Very low friction coefficient.
- No liquid absorption.
- Excellent wear and chemical resistance.
- Completely closed structure.
- Watertight.


WATERTIGHT ROLLER

MATERIAL	Ø E	L	FOR ROD				
			Ø 15	Ø 16	Ø 18	Ø 20	
			ITEM DESCRIPTION				
PE BLACK	40	82,5	R-40B15ML83-PEB-S 	R-40B16ML83-PEB-S 	R-40B18ML83-PEB-S 	R-40B20ML83-PEB-S 	50
		84,5	R-40B15ML85-PEB-S 	R-40B16ML85-PEB-S 	R-40B18ML85-PEB-S 	R-40B20ML85-PEB-S 	
	50	82,5	R-50B15ML83-PEB-S 	R-50B16ML83-PEB-S 	R-50B18ML83-PEB-S 	R-50B20ML83-PEB-S 	
		84,5	R-50B15ML85-PEB-S 	R-50B16ML85-PEB-S 	R-50B18ML85-PEB-S 	R-50B20ML85-PEB-S 	
	60	82,5	R-60B15ML83-PEB-S 	R-60B16ML83-PEB-S 	R-60B18ML83-PEB-S 	R-60B20ML83-PEB-S 	
		84,5	R-60B15ML85-PEB-S 	R-60B16ML85-PEB-S 	R-60B18ML85-PEB-S 	R-60B20ML85-PEB-S 	



External diameter

MOQ Min. order quantity: 100 pcs.



WATERTIGHT ROLLER WITH RUBBER


MATERIAL	Ø E	L	FOR ROD				
			Ø 15	Ø 16	Ø 18	Ø 20	
			ITEM DESCRIPTION				
PE BLACK	47	82,5	RR-47B15ML83-PEB-S 	RR-47B16ML83-PEB-S 	RR-47B18ML83-PEB-S 	RR-47B20ML83-PEB-S 	50
		84,5	RR-47B15ML85-PEB-S 	RR-47B16ML85-PEB-S 	RR-47B18ML85-PEB-S 	RR-47B20ML85-PEB-S 	
	57	82,5	RR-57B15ML83-PEB-S 	RR-57B16ML83-PEB-S 	RR-57B18ML83-PEB-S 	RR-57B20ML83-PEB-S 	
		84,5	RR-57B15ML85-PEB-S 	RR-57B16ML85-PEB-S 	RR-57B18ML85-PEB-S 	RR-57B20ML85-PEB-S 	
	67	82,5	RR-67B15ML83-PEB-S 	RR-67B16ML83-PEB-S 	RR-67B18ML83-PEB-S 	RR-67B20ML83-PEB-S 	
		84,5	RR-67B15ML85-PEB-S 	RR-67B16ML85-PEB-S 	RR-67B18ML85-PEB-S 	RR-67B20ML85-PEB-S 	



External diameter

RUBBER MATERIAL: TPR

MOQ Min. order quantity: 100 pcs.



For flanges for return rollers, go to:

51090a

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

**SYSTEM
PLAST®**

**Smart
guide**





5 1 1 2 0 a

CHAIN RETURN COMPONENTS

www.SystemPlastSmartGuide.com





Information about this product is only available on our Smart Guide® website.




WEAR STRIP

MATERIAL	ITEM DESCRIPTION		
PE GREEN	VG-F206M-G-200	60 m	60 m
PE BLACK	VG-F206M-B-200	60 m	60 m
Nolu®-S	VG-F206M-NS-200	60 m	60 m



WEAR STRIP

MATERIAL	ITEM DESCRIPTION		
PE GREEN	VG-F205M-G-200	60 m	60 m
PE BLACK	VG-F205M-B-200	60 m	60 m




For chains return components, go to:

5 1 1 3 0 a

SPACER FOR SERPENTINE

MATERIAL			
	20x20	Ø 20	
ITEM DESCRIPTION			
PA BLACK	SPT-84-S20C	SPT-84-R20C	100




For solutions for 101.6 (4") and 114.3 (4 1/2") top plates, go to: **5 1 1 6 0 a**

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

5 1 1 5 0 a



FLEXIBLE WIDTH SERPENTINE SYSTEM

www.SystemPlastSmartGuide.com




SINGLE SPACER SNAP-ON ASSEMBLY

MATERIAL	Ø 18	Ø 20	H	H1	
ITEM DESCRIPTION					
PA BLACK	SPT-15R18C	-	34	42.5	100
	-	SPT-15R20C	30	38	



SHOE WEAR STRIP SNAP-ON ASSEMBLY

MATERIAL	Ø 18	Ø 20	H	H1	
ITEM DESCRIPTION					
PA BLACK	SHOE-15L105-R18C-PAB	-	34	42,5	100
	-	SHOE-15L105-R20C-PAB	30	38	



SLIDING SHOE

MATERIAL	ITEM DESCRIPTION	
PE GREEN	SHOE-53L102-S25C-PEG	
		100

USE: with spacers SPT-84-R20C.



For chain return components, go to:

5 1 1 2 0 a
5 1 1 3 0 a

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	


SYSTEM PLAST®



51160a

CHAIN RETURN COMPONENTS


www.SystemPlastSmartGuide.com



WASHER



MATERIAL	84	4	9.5	16	
	ITEM DESCRIPTION				
PA BLACK	SPT-84-S20	SPT-4L26-S20	SPT-10L26-S20	SPT-16L26-S20	100





SLIDING SHOE



MATERIAL	FOR SQUARE SHAFT 20X20	
	ITEM DESCRIPTION	
PE BLACK	SHOE-84L68-S20-PEB	100



Information about this product is only available on our Smart Guide® website.




For standard solutions, go to: **511060a**


Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	



SNAP-ON SELF-ADJUSTING SLIDING SHOE



MATERIAL	Ø 18	Ø 20	LG	
ITEM DESCRIPTION				
PE BLACK	SHOE-84L244-R18C-PEB	SHOE-84L244-R20C-PEB	84	50
	-	SHOE-85L244-R20C-PEB	85	
	-	SHOE-88L244-R20C-PEB	88	
PE GREEN	SHOE-84L244-R18C-PEG	SHOE-84L244-R20C-PEG	84	
	-	SHOE-85L244-R20C-PEG	85	
	-	SHOE-88L244-R20C-PEG	88	



MOQ Min. order quantity: 300 pcs.



MATERIAL	ITEM DESCRIPTION	
PE GREEN	SHOE-89L162-S25C-PEG	100

