



Product Specification 5038

Taconic's 5038 is a PTFE coated glass fibre product with a standard PTFE content. Mainly used as a medium grade baking sheet or packaging material, 5038 is often seen as a robust alternative in the food, composites & plastics sectors offering excellent value and performance. Standard widths of 5038 include 1000mm, 1220mm & 1520mm.

Product Properties	Units	Value	Tolerance	Test Method
Reinforcing Substrate		E-GLASS		
Coating Type		PTFE		
% Coating	%	64	+/-2%	
Total Coated Weight	g/sqm	135	+/-5%	
Nominal Thickness	microns	70		
Dielectric Breakdown	Volts	2500	Typical	BS 2782 part 2
		2000	Minimum	
Tensile Strength	N/5cm	800	Typical Warp	ISO 1421
		500	Minimum Warp	
		800	Typical weft	
		500	Minimum weft	
Tear Strength	N	15	Typical Warp	ISO 9073-4
		10	Minimum Warp	
		10	Typical weft	
		8	Minimum weft	
Operating Temperature	°Celsius	-73° to +260°		

Information contained in this document is based on our general experience and is given in good faith, but we are unable to accept responsibility in respect to factors which are outside our knowledge or control. All data is subject to change without notice.



Please contact us for samples or a quotation

Taconic International Ltd
Ireland
www.taconic-ipd.com
info@taconic-ipd.com

Taconic France
France
www.taconic-ipd.fr
info@taconic-ipd.fr

Taconic International Ltd
Germany
www.taconic.de
info@taconic.de

Wildcat Taconic
United Kingdom
www.taconic-ipd.com
info@wildcat-taconic.com

Taconic SP z.o.o
Poland
www.taconic-ipd.pl
biuro@4taconic.com



For queries in North America please visit www.4taconic.com or email info@4taconic.com

