

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

57030a


www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

**SYSTEM
PLAST®**

**Smart
guide**

Maintenance
 Construction
 Contact us
 for more information
 or technical support
 Pollution
 Materials



MODFLEX™

MODFLEX - R800 L1400 A90 R - TM

R = Radius from
500 to 2000 mm

TM = with transfer
roller modules
(both sides)

R = Right
L = Left

A = Angle standard
90° or 180°

L = Width from
200 to 1700 mm

General information:

- Compact design in relation to the width of the belt (small radius in combination with wide curve possible).
- Position and orientation of conveyed products perfectly controlled and not altered during operation.
- Relatively small in-feed and out-feed rolling diameters to grant a good product transfer.
- High strength and resistance to heavy loads.
- High linear speed.
- Easy maintenance requirements.

Features:


- Suitable for conveying large and heavy products.
- Safe design (completely closed structure).
- High wear resistance.
- High chemical resistance.
- Low noise.
- Dry run solution.

Application:

- Logistics industry and distribution centers.
- Food and beverage.
- Tiles, bricks and cement production.
- Woodworking industry.
- Hostile environments and heavy duty operation in general.

Details:

- Max load allowed: 250 Kg/m (2450 N/m).
- Max speed on inner radius Ri: 60 m/min.
- Curve angle 90° and 180°.
- Useful width (W) from 200 mm to 1600 mm.
- Inner radius (Ri) from 500 mm to 2000 mm.
- Frame height (H) 235/275 mm.
- Frame in stainless steel.
- Low friction plastic belt material - color blue.
- Gearbox not included (40mm shaft diameter).
- Feet and legs not included; brackets, connecting joints, support bases and levelling pads can be provided on demand.



57035a

90° Right



57040a

90° Left



57045a

90° Right with
transfer



57050a

90° Left with
transfer



57055a

180° Right



57060a

180° Left



57065a

180° Right with
transfer



57070a

180° Left with
transfer

**PRODUCT
TYPICALLY
CONVEYED**




Wood panels



Shrink packs



Polybags




Tyres



Containers



Cardboard boxes



Plastic cases

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®



Smart guide

57035a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

RIGHT CURVE 90°



MODFLEX - R800 L1400 A90 R - TM

R = Radius from 500 to 2000 mm

TM = with transfer roller modules (both sides)

R = Right
L = Left

A = Angle standard 90° or 180°

L = Width from 200 to 1700 mm

WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A90R	MODFLEX-R800L200A90R	MODFLEX-R1000L200A90R	MODFLEX-R1200L200A90R
300	MODFLEX-R500L300A90R	-	-	-	-
400	-	MODFLEX-R600L400A90R	MODFLEX-R800L400A90R	MODFLEX-R1000L400A90R	MODFLEX-R1200L400A90R
500	MODFLEX-R500L500A90R	-	-	-	-
600	-	MODFLEX-R600L600A90R	MODFLEX-R800L600A90R	MODFLEX-R1000L600A90R	MODFLEX-R1200L600A90R
700	MODFLEX-R500L700A90R	-	-	-	-
800	-	MODFLEX-R600L800A90R	MODFLEX-R800L800A90R	MODFLEX-R1000L800A90R	MODFLEX-R1200L800A90R
900	MODFLEX-R500L900A90R	-	-	-	-
1000	-	MODFLEX-R600L1000A90R	MODFLEX-R800L1000A90R	MODFLEX-R1000L1000A90R	MODFLEX-R1200L1000A90R
1100	MODFLEX-R500L1100A90R	-	-	-	-
1200	-	MODFLEX-R600L1200A90R	MODFLEX-R800L1200A90R	MODFLEX-R1000L1200A90R	-
1300	MODFLEX-R500L1300A90R	-	-	-	-
1400	-	MODFLEX-R600L1400A90R	MODFLEX-R800L1400A90R	-	-
1500	MODFLEX-R500L1500A90R	-	-	-	-
1600	-	MODFLEX-R600L1600A90R	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A90R	MODFLEX-R1600L200A90R	MODFLEX-R1800L200A90R	MODFLEX-R2000L200A90R
400	MODFLEX-R1400L400A90R	MODFLEX-R1600L400A90R	MODFLEX-R1800L400A90R	-
600	MODFLEX-R1400L600A90R	MODFLEX-R1600L600A90R	-	-
800	MODFLEX-R1400L800A90R	-	-	-

Side mounting top brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube ends:

55510a



57040a

90° Left



57045a

90° Right with transfer



57050a

90° Left with transfer



57055a

180° Right



57060a

180° Left



57065a

180° Right with transfer



57070a

180° Left with transfer

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®





57040a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

LEFT CURVE 90°



MODFLEX - R800 L1400 A90 R - TM

R = Radius from 500 to 2000 mm

TM = with transfer roller modules (both sides)

R = Right
L = Left

A = Angle standard 90° or 180°

L = Width from 200 to 1700 mm



WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A90L	MODFLEX-R800L200A90L	MODFLEX-R1000L200A90L	MODFLEX-R1200L200A90L
300	MODFLEX-R500L300A90L	-	-	-	-
400	-	MODFLEX-R600L400A90L	MODFLEX-R800L400A90L	MODFLEX-R1000L400A90L	MODFLEX-R1200L400A90L
500	MODFLEX-R500L500A90L	-	-	-	-
600	-	MODFLEX-R600L600A90L	MODFLEX-R800L600A90L	MODFLEX-R1000L600A90L	MODFLEX-R1200L600A90L
700	MODFLEX-R500L700A90L	-	-	-	-
800	-	MODFLEX-R600L800A90L	MODFLEX-R800L800A90L	MODFLEX-R1000L800A90L	MODFLEX-R1200L800A90L
900	MODFLEX-R500L900A90L	-	-	-	-
1000	-	MODFLEX-R600L1000A90L	MODFLEX-R800L1000A90L	MODFLEX-R1000L1000A90L	MODFLEX-R1200L1000A90L
1100	MODFLEX-R500L1100A90L	-	-	-	-
1200	-	MODFLEX-R600L1200A90L	MODFLEX-R800L1200A90L	MODFLEX-R1000L1200A90L	-
1300	MODFLEX-R500L1300A90L	-	-	-	-
1400	-	MODFLEX-R600L1400A90L	MODFLEX-R800L1400A90L	-	-
1500	MODFLEX-R500L1500A90L	-	-	-	-
1600	-	MODFLEX-R600L1600A90L	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A90L	MODFLEX-R1600L200A90L	MODFLEX-R1800L200A90L	MODFLEX-R2000L200A90L
400	MODFLEX-R1400L400A90L	MODFLEX-R1600L400A90L	MODFLEX-R1800L400A90L	-
600	MODFLEX-R1400L600A90L	MODFLEX-R1600L600A90L	-	-
800	MODFLEX-R1400L800A90L	-	-	-

Side mounting top brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube ends:

55510a



57035a

90° Right



57045a

90° Right with transfer



57050a

90° Left with transfer



57055a

180° Right



57060a

180° Left



57065a

180° Right with transfer



57070a

180° Left with transfer

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®

Smart guide



57045a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

RIGHT CURVE WITH TRANSFER ROLLER 90°

Maintenance
 Construction
 Application
 Material
 Contact us
 for more information
 or technical support



MODFLEX - R800 L1400 A90 R - TM

R = Radius from 500 to 2000 mm

TM = with transfer roller modules (both sides)

R = Right
L = Left

A = Angle standard 90° or 180°

L = Width from 200 to 1700 mm

WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A90R-TM	MODFLEX-R800L200A90R-TM	MODFLEX-R1000L200A90R-TM	MODFLEX-R1200L200A90R-TM
300	MODFLEX-R500L300A90R-TM	-	-	-	-
400	-	MODFLEX-R600L400A90R-TM	MODFLEX-R800L400A90R-TM	MODFLEX-R1000L400A90R-TM	MODFLEX-R1200L400A90R-TM
500	MODFLEX-R500L500A90R-TM	-	-	-	-
600	-	MODFLEX-R600L600A90R-TM	MODFLEX-R800L600A90R-TM	MODFLEX-R1000L600A90R-TM	MODFLEX-R1200L600A90R-TM
700	MODFLEX-R500L700A90R-TM	-	-	-	-
800	-	MODFLEX-R600L800A90R-TM	MODFLEX-R800L800A90R-TM	MODFLEX-R1000L800A90R-TM	MODFLEX-R1200L800A90R-TM
900	MODFLEX-R500L900A90R-TM	-	-	-	-
1000	-	MODFLEX-R600L1000A90R-TM	MODFLEX-R800L1000A90R-TM	MODFLEX-R1000L1000A90R-TM	MODFLEX-R1200L1000A90R-TM
1100	MODFLEX-R500L1100A90R-TM	-	-	-	-
1200	-	MODFLEX-R600L1200A90R-TM	MODFLEX-R800L1200A90R-TM	MODFLEX-R1000L1200A90R-TM	-
1300	MODFLEX-R500L1300A90R-TM	-	-	-	-
1400	-	MODFLEX-R600L1400A90R-TM	MODFLEX-R800L1400A90R-TM	-	-
1500	MODFLEX-R500L1500A90R-TM	-	-	-	-
1600	-	MODFLEX-R600L1600A90R-TM	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A90R-TM	MODFLEX-R1600L200A90R-TM	MODFLEX-R1800L200A90R-TM	MODFLEX-R2000L200A90R-TM
400	MODFLEX-R1400L400A90R-TM	MODFLEX-R1600L400A90R-TM	MODFLEX-R1800L400A90R-TM	-
600	MODFLEX-R1400L600A90R-TM	MODFLEX-R1600L600A90R-TM	-	-
800	MODFLEX-R1400L800A90R-TM	-	-	-

Side mounting top brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube ends:

55510a



57035a
90° Right



57040a
90° Left



57050a
90° Left with transfer



57055a
180° Right



57060a
180° Left



57065a
180° Right with transfer



57070a
180° Left with transfer

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®





57050a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

LEFT CURVE WITH TRANSFER ROLLER 90°



MODFLEX - R800 L1400 A90 R - TM

R = Radius from 500 to 2000 mm

TM = with transfer roller modules (both sides)

R = Right
L = Left

A = Angle standard 90° or 180°

L = Width from 200 to 1700 mm



WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A90L-TM	MODFLEX-R800L200A90L-TM	MODFLEX-R1000L200A90L-TM	MODFLEX-R1200L200A90L-TM
300	MODFLEX-R500L300A90L-TM	-	-	-	-
400	-	MODFLEX-R600L400A90L-TM	MODFLEX-R800L400A90L-TM	MODFLEX-R1000L400A90L-TM	MODFLEX-R1200L400A90L-TM
500	MODFLEX-R500L500A90L-TM	-	-	-	-
600	-	MODFLEX-R600L600A90L-TM	MODFLEX-R800L600A90L-TM	MODFLEX-R1000L600A90L-TM	MODFLEX-R1200L600A90L-TM
700	MODFLEX-R500L700A90L-TM	-	-	-	-
800	-	MODFLEX-R600L800A90L-TM	MODFLEX-R800L800A90L-TM	MODFLEX-R1000L800A90L-TM	MODFLEX-R1200L800A90L-TM
900	MODFLEX-R500L900A90L-TM	-	-	-	-
1000	-	MODFLEX-R600L1000A90L-TM	MODFLEX-R800L1000A90L-TM	MODFLEX-R1000L1000A90L-TM	MODFLEX-R1200L1000A90L-TM
1100	MODFLEX-R500L1100A90L-TM	-	-	-	-
1200	-	MODFLEX-R600L1200A90L-TM	MODFLEX-R800L1200A90L-TM	MODFLEX-R1000L1200A90L-TM	-
1300	MODFLEX-R500L1300A90L-TM	-	-	-	-
1400	-	MODFLEX-R600L1400A90L-TM	MODFLEX-R800L1400A90L-TM	-	-
1500	MODFLEX-R500L1500A90L-TM	-	-	-	-
1600	-	MODFLEX-R600L1600A90L-TM	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A90L-TM	MODFLEX-R1600L200A90L-TM	MODFLEX-R1800L200A90L-TM	MODFLEX-R2000L200A90L-TM
400	MODFLEX-R1400L400A90L-TM	MODFLEX-R1600L400A90L-TM	MODFLEX-R1800L400A90L-TM	-
600	MODFLEX-R1400L600A90L-TM	MODFLEX-R1600L600A90L-TM	-	-
800	MODFLEX-R1400L800A90L-TM	-	-	-

Side mounting top brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube ends:

55510a



57035a
90° Right



57040a
90° Left



57045a
90° Right with transfer



57055a
180° Right



57060a
180° Left



57065a
180° Right with transfer



57070a
180° Left with transfer

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®



Smart guide

57055a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

RIGHT CURVE 180°



MODFLEX - R800 L1400 A90 R - TM

R = Radius from 500 to 2000 mm

TM = with transfer roller modules (both sides)

R = Right
L = Left

A = Angle standard 90° or 180°

L = Width from 200 to 1700 mm

WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A180R	MODFLEX-R800L200A180R	MODFLEX-R1000L200A180R	MODFLEX-R1200L200A180R
300	MODFLEX-R500L300A180R	-	-	-	-
400	-	MODFLEX-R600L400A180R	MODFLEX-R800L400A180R	MODFLEX-R1000L400A180R	MODFLEX-R1200L400A180R
500	MODFLEX-R500L500A180R	-	-	-	-
600	-	MODFLEX-R600L600A180R	MODFLEX-R800L600A180R	MODFLEX-R1000L600A180R	MODFLEX-R1200L600A180R
700	MODFLEX-R500L700A180R	-	-	-	-
800	-	MODFLEX-R600L800A180R	MODFLEX-R800L800A180R	MODFLEX-R1000L800A180R	MODFLEX-R1200L800A180R
900	MODFLEX-R500L900A180R	-	-	-	-
1000	-	MODFLEX-R600L1000A180R	MODFLEX-R800L1000A180R	MODFLEX-R1000L1000A180R	MODFLEX-R1200L1000A180R
1100	MODFLEX-R500L1100A180R	-	-	-	-
1200	-	MODFLEX-R600L1200A180R	MODFLEX-R800L1200A180R	MODFLEX-R1000L1200A180R	-
1300	MODFLEX-R500L1300A180R	-	-	-	-
1400	-	MODFLEX-R600L1400A180R	MODFLEX-R800L1400A180R	-	-
1500	MODFLEX-R500L1500A180R	-	-	-	-
1600	-	MODFLEX-R600L1600A180R	-	-	-
1700	MODFLEX-R500L1700A180R	-	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A180R	MODFLEX-R1600L200A180R	MODFLEX-R1800L200A180R	MODFLEX-R2000L200A180R
400	MODFLEX-R1400L400A180R	MODFLEX-R1600L400A180R	MODFLEX-R1800L400A180R	-
600	MODFLEX-R1400L600A180R	MODFLEX-R1600L600A180R	-	-
800	MODFLEX-R1400L800A180R	-	-	-

Side mounting top brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube ends:

55510a



57035a

90° Right



57040a

90° Left



57045a

90° Right with transfer



57050a

90° Left with transfer



57060a

180° Left



57065a

180° Right with transfer



57070a

180° Left with transfer

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®



Smart guide

57060a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

LEFT CURVE 180°



MODFLEX - R800 L1400 A90 R - TM

R = Radius from 500 to 2000 mm

TM = with transfer roller modules (both sides)

R = Right
L = Left

A = Angle standard 90° or 180°

L = Width from 200 to 1700 mm



WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A180L	MODFLEX-R800L200A180L	MODFLEX-R1000L200A180L	MODFLEX-R1200L200A180L
300	MODFLEX-R500L300A180L	-	-	-	-
400	-	MODFLEX-R600L400A180L	MODFLEX-R800L400A180L	MODFLEX-R1000L400A180L	MODFLEX-R1200L400A180L
500	MODFLEX-R500L500A180L	-	-	-	-
600	-	MODFLEX-R600L600A180L	MODFLEX-R800L600A180L	MODFLEX-R1000L600A180L	MODFLEX-R1200L600A180L
700	MODFLEX-R500L700A180L	-	-	-	-
800	-	MODFLEX-R600L800A180L	MODFLEX-R800L800A180L	MODFLEX-R1000L800A180L	MODFLEX-R1200L800A180L
900	MODFLEX-R500L900A180L	-	-	-	-
1000	-	MODFLEX-R600L1000A180L	MODFLEX-R800L1000A180L	MODFLEX-R1000L1000A180L	MODFLEX-R1200L1000A180L
1100	MODFLEX-R500L1100A180L	-	-	-	-
1200	-	MODFLEX-R600L1200A180L	MODFLEX-R800L1200A180L	MODFLEX-R1000L1200A180L	-
1300	MODFLEX-R500L1300A180L	-	-	-	-
1400	-	MODFLEX-R600L1400A180L	MODFLEX-R800L1400A180L	-	-
1500	MODFLEX-R500L1500A180L	-	-	-	-
1600	-	MODFLEX-R600L1600A180L	-	-	-
1700	MODFLEX-R500L1700A180L	-	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A180L	MODFLEX-R1600L200A180L	MODFLEX-R1800L200A180L	MODFLEX-R2000L200A180L
400	MODFLEX-R1400L400A180L	MODFLEX-R1600L400A180L	MODFLEX-R1800L400A180L	-
600	MODFLEX-R1400L600A180L	MODFLEX-R1600L600A180L	-	-
800	MODFLEX-R1400L800A180L	-	-	-

Side mounting top brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube ends:

55510a



57035a

90° Right



57040a

90° Left



57045a

90° Right with transfer



57050a

90° Left with transfer



57055a

180° Right



57065a

180° Right with transfer



57070a

180° Left with transfer

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®

Smart guide



57065a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

RIGHT CURVE WITH TRANSFER ROLLER 180°

Maintenance
 Construction
 Application
 Material
 Contact us
 for more information
 or technical support



MODFLEX - R800 L1400 A90 R - TM

R = Radius from
500 to 2000 mm

TM = with transfer
roller modules
(both sides)

R = Right
L = Left

A = Angle standard
90° or 180°

L = Width from
200 to 1700 mm

WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A180R-TM	MODFLEX-R800L200A180R-TM	MODFLEX-R1000L200A180R-TM	MODFLEX-R1200L200A180R-TM
300	MODFLEX-R500L300A180R-TM	-	-	-	-
400	-	MODFLEX-R600L400A180R-TM	MODFLEX-R800L400A180R-TM	MODFLEX-R1000L400A180R-TM	MODFLEX-R1200L400A180R-TM
500	MODFLEX-R500L500A180R-TM	-	-	-	-
600	-	MODFLEX-R600L600A180R-TM	MODFLEX-R800L600A180R-TM	MODFLEX-R1000L600A180R-TM	MODFLEX-R1200L600A180R-TM
700	MODFLEX-R500L700A180R-TM	-	-	-	-
800	-	MODFLEX-R600L800A180R-TM	MODFLEX-R800L800A180R-TM	MODFLEX-R1000L800A180R-TM	MODFLEX-R1200L800A180R-TM
900	MODFLEX-R500L900A180R-TM	-	-	-	-
1000	-	MODFLEX-R600L1000A180R-TM	MODFLEX-R800L1000A180R-TM	MODFLEX-R1000L1000A180R-TM	MODFLEX-R1200L1000A180R-TM
1100	MODFLEX-R500L1100A180R-TM	-	-	-	-
1200	-	MODFLEX-R600L1200A180R-TM	MODFLEX-R800L1200A180R-TM	MODFLEX-R1000L1200A180R-TM	-
1300	MODFLEX-R500L1300A180R-TM	-	-	-	-
1400	-	MODFLEX-R600L1400A180R-TM	MODFLEX-R800L1400A180R-TM	-	-
1500	MODFLEX-R500L1500A180R-TM	-	-	-	-
1600	-	MODFLEX-R600L1600A180R-TM	-	-	-
1700	MODFLEX-R500L1700A180R-TM	-	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A180R-TM	MODFLEX-R1600L200A180R-TM	MODFLEX-R1800L200A180R-TM	MODFLEX-R2000L200A180R-TM
400	MODFLEX-R1400L400A180R-TM	MODFLEX-R1600L400A180R-TM	MODFLEX-R1800L400A180R-TM	-
600	MODFLEX-R1400L600A180R-TM	MODFLEX-R1600L600A180R-TM	-	-
800	MODFLEX-R1400L800A180R-TM	-	-	-

Side mounting top
brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube
ends:

55510a



57035a
90° Right



57040a
90° Left



57045a
90° Right with
transfer



57050a
90° Left with
transfer



57055a
180° Right



57060a
180° Left



57070a
180° Left with
transfer

Chains & sprockets	Wear strips	Side guide brackets & accessories	Levelers	Engineering manual
Modular belts & sprockets	Chain & belt return systems	Frame & structure supports	Bearing supports	
Curves & tracks	Side guide solutions	Miscellaneous products	Equipment	

SYSTEM PLAST®

Smart guide



57070a

www.SystemPlastSmartGuide.com

MODFLEX™ MODULAR CURVE

LEFT CURVE WITH TRANSFER ROLLER 180°

Maintenance
 Construction
 Application
 Material
 Contact us
 for more information
 or technical support



MODFLEX - R800 L1400 A90 R - TM

R = Radius from
500 to 2000 mm

TM = with transfer
roller modules
(both sides)

R = Right
L = Left

A = Angle standard
90° or 180°

L = Width from
200 to 1700 mm

WIDTH	R500	R600	R800	R1000	R1200
200	-	MODFLEX-R600L200A180L-TM	MODFLEX-R800L200A180L-TM	MODFLEX-R1000L200A180L-TM	MODFLEX-R1200L200A180L-TM
300	MODFLEX-R500L300A180L-TM	-	-	-	-
400	-	MODFLEX-R600L400A180L-TM	MODFLEX-R800L400A180L-TM	MODFLEX-R1000L400A180L-TM	MODFLEX-R1200L400A180L-TM
500	MODFLEX-R500L500A180L-TM	-	-	-	-
600	-	MODFLEX-R600L600A180L-TM	MODFLEX-R800L600A180L-TM	MODFLEX-R1000L600A180L-TM	MODFLEX-R1200L600A180L-TM
700	MODFLEX-R500L700A180L-TM	-	-	-	-
800	-	MODFLEX-R600L800A180L-TM	MODFLEX-R800L800A180L-TM	MODFLEX-R1000L800A180L-TM	MODFLEX-R1200L800A180L-TM
900	MODFLEX-R500L900A180L-TM	-	-	-	-
1000	-	MODFLEX-R600L1000A180L-TM	MODFLEX-R800L1000A180L-TM	MODFLEX-R1000L1000A180L-TM	MODFLEX-R1200L1000A180L-TM
1100	MODFLEX-R500L1100A180L-TM	-	-	-	-
1200	-	MODFLEX-R600L1200A180L-TM	MODFLEX-R800L1200A180L-TM	MODFLEX-R1000L1200A180L-TM	-
1300	MODFLEX-R500L1300A180L-TM	-	-	-	-
1400	-	MODFLEX-R600L1400A180L-TM	MODFLEX-R800L1400A180L-TM	-	-
1500	MODFLEX-R500L1500A180L-TM	-	-	-	-
1600	-	MODFLEX-R600L1600A180L-TM	-	-	-
1700	MODFLEX-R500L1700A180L-TM	-	-	-	-

WIDTH	R1400	R1600	R1800	R2000
200	MODFLEX-R1400L200A180L-TM	MODFLEX-R1600L200A180L-TM	MODFLEX-R1800L200A180L-TM	MODFLEX-R2000L200A180L-TM
400	MODFLEX-R1400L400A180L-TM	MODFLEX-R1600L400A180L-TM	MODFLEX-R1800L400A180L-TM	-
600	MODFLEX-R1400L600A180L-TM	MODFLEX-R1600L600A180L-TM	-	-
800	MODFLEX-R1400L800A180L-TM	-	-	-

Side mounting top
brackets:

54020a

Connecting joints:

54070a

Support bases:

54030a

Levelers and tube
ends:

55510a



57035a

90° Right



57040a

90° Left



57045a

90° Right with
transfer



57050a

90° Left with
transfer



57055a

180° Right



57060a

180° Left



57065a

180° Right with
transfer